HVAC PRODUCTS - BY SECURITYCHIMNEYS

QUOTE REQUEST - Commercial Chimney/Venting Checklist

"helping you help us - helping us help you"


PRC	DJECT NAME:					
CON	MPANY:					
CON	NTACT:					
TEL:						
-AX						
-M	AIL:					
1	Provide a sketch of your system		Overall vertical rise from outlet to			
	Plan View Elevation View		horizontal breecl	ning? Ny in this system		
	Include Centerline dimensions		feet	inches		
	Special instructions / obstacles					
	.,		Overell vertical vi	iaa fuama bauisa		
2	What is the application?	10	Overall vertical rise from horizontal breeching to top of floor?			
	Boiler Grease Duct		feet	inches		
	Water Heater Coffee Roaster			_		
	Generator Exhaust	11	How many Floors	s?		
	Air Handler Unit Particle Containment		does not app	ly in this system		
	Kiln Dryer vent		floors	height per		
	Paint Booth Other:		floor thickness		inches	
3	Fuel Type	12	Overall Vertical H	leight of Syster	n Vent?	
	Natural Gas Oil #2		feet	inches		
	LP Gas Other			_		
4	Required Appliance Information	13	Vent height abov	e roof?		
-	BTU Input		feet	inches		
	Boiler HP		Code requires the v	_ ent to terminate	3 feet	
	Appliance Make		above the roof.			
	Model #		Other situations such as a parapet wall			
	Web Site	or air intake within 10 feet will alter this.				
5	Is the application	14 Multiple appliances				
	Positive Pressure Atmospheric		Be sure to provide		terline	
6	Appliance Outlet and Location		dimesnions betwee	n boiler outlets.		
U	Collar Back					
	Flanged Top	15	SIZER 4.0			
	ANSI Other		Do you require the	SIZING for this sy	vstem?	
	Other		YES	·		
7	Barometric Damper Required		NO - not a	t this time		
,	YES NO					
				ONS		
8	CIX - Positive Pressure for Boiler/	CIX	CHIMNEY - OPTI FLUE	CASING	OPTION	
	CIX - Positive Pressure for Generator/		304	Galvalume	1	
	CIX - Positive Pressure for Grease Duct/		304	304	2	
	CT - Positive Pressure Liner/		316	Galvalume	3	
	Secure Seal™ - AL29-4C for Condensing Boilers		316	304	4	
	SS - single wall		316	316	5	
	SSD - double wall				-	
	SSID - double wall 2" insulated					
	55.5 454.5 Hall 2 Houldted					

For further information contact <u>Rob Ringhoffe</u>r 610-973-4197 or <u>Don McInroy</u> 416-729-5010 <u>www.securitychimneys.com</u>



QUOTE REQUEST - Commercial Chimney/Venting Checklist EXAMPLE OF REQUIRED INFORMATION


PLEASE PROVIDE AS MUCH DETAIL AS YOU CAN





QUOTE REQUEST - Commercial Chimney/Venting Checklist EXAMPLE OF REQUIRED INFORMATION

PLEASE PROVIDE AS MUCH DETAIL AS YOU CAN





QUOTE REQUEST - Commercial Chimney/Venting Checklist EXAMPLE OF REQUIRED INFORMATION

PLEASE PROVIDE AS MUCH DETAIL AS YOU CAN

